

B35TM2


Le B35T est le produit idéal pour de nombreuses applications : chauffage urbain, récupération de chaleur, cogénération, refroidissement d'huile de transmission et de moteur. Il est le choix parfait pour bénéficier de transferts de chaleur efficaces et de faibles pertes de charges dans des systèmes de conduites jusqu'à 2 pouces et des débits d'eau jusqu'à 27 m³/h (118.8 gpm).



Spécifications de base


Nombre de plaques max. (NoP)	260
Débit volumétrique max.	58 m ³ /h (255.37 gpm)
Volume du canal	0.18/0.18 dm ³ (0.0064/0.0064 ft ³)
Matières	Plaques en acier inoxydable 316/316L, brasage cuivre
Poids sans les connexions	7.13+(0.2515*NoP) kg 15.71+(0.554*NoP) lb
Taille la taille des Particules (mm)	1

Les dimensions standard







#	MM	IN
A	393	15.47
B	243	9.57
C	309	12.17
D	166.50	6.56
F	10,00+2,26*(NoP)	0.39+0.09*(NoP)
G	4	0.16
J	7.50	0.3
R	35	1.38
E_1	27	1.06
E_2	54	2.13

PED pression / température





ÉCHANGEURS THERMIQUES



AXINTRA
ÉCHANGEURS THERMIQUES




NOTE 1 ALTERNATE MARKING: STICKER OR STAMP

F4	45311	ISO-G 2 1/2 , TH = 54,2	CD000051
F3	45134	ISO-G 2 , TH = 54,2	CD000041
F2	45311	ISO-G 2 1/2 , TH = 54,2	CD000051
F1	45134	ISO-G 2 , TH = 54,2	CD000041
F	21112	B35 BOLT LOC F 4x C140x100	CG350001_1

Title B35TM2/1P-SC-S			
 A DOVER COMPANY	Created Date 2018-04-24	Created By AU	
	Article/Configuration number 16105-120	Drawing number AU00371031	

Pos	Article No	Title / Denomination, code, material, dimension etc	Drawing No./ref	Pos	Article No	Title / Denomination, code, material, dimension etc	Drawing No./ref
-----	------------	---	-----------------	-----	------------	---	-----------------



Rev No.	Alteration	Date	Checked	Approved
2	REDRAWN IN INVENTOR	2004/12/10	PDM	PDM



© Company Confidential, Property of SWEP International AB


1	4	STUD BOLT M12 x 20, ART. NO. 45095	M12 x 20
ITE	QTY	DESCRIPTION	Drawing No.
Drawn	Checked	Approved	Created Date
JA	PDM	PDM	2004/10/12
General geometrical tolerancing ISO 2768		General surface finish R_a	Scale
m		3.2	1:1
SWEP			
Title: B35 BOLT LOC F 4x C140x100			
Article number		Drawing number	Revision
21112		CG350001	2
Sheet			1 (1)
A DOVER COMPANY			

Rev No.	Alteration	Date	Checked	Approved
8	ADDED DEBURR AND MATERIAL INFO	2009/07/28	RJ	PDM



DEBURR SHARP EDGES; 0.4MAX



ACCORDING TO MQS
MATERIAL

Drawn miguser	Checked TP	Approved VP	Created Date 1991-03-15	General geometrical tolerancing ISO 2768 m	General surface finish R_a 3.2	Scale -
			Title ISO-G 2 1/2			
Article number		Drawing number CD000051		Revision 08	Sheet 1 (1)	

© Company Confidential, Property of SWEET International AB



Rev No.	Alteration	Date	Checked	Approved
10	DEBURRING INFO ADDED	2009/03/10	TL	PDM



SHARP EDGES DEBURRED MAX 0,4

ACCORDING TO MQS
MATERIAL

Drawn	SA	Checked	TP	Approved	VP	Created Date	1990-09-08	General geometrical tolerancing ISO 2768	m	General surface finish R_a	3.2	Scale	-		
Title												ISO-G 2			
Article number		-		Drawing number		CD000041		Revision		10		Sheet		1 (1)	

© Company Confidential, Property of SWEP International AB

