

# E8T


Polyvalent et très compact, l'E8T fournit un transfert thermique amélioré pour la majorité des applications de chaudières murales sans condensation. L'E8T est doté d'un système de plaques "toutes actives". Les plaques avant et arrière lui confèrent une stabilité mécanique, tout en restant actives d'un point de vue transfert thermique. Par conséquent, l'E8T transfère plus de chaleur et utilise moins de matériaux.



## Spécifications de base


Nombre de plaques max. (NoP)	40
Débit volumétrique max.	4 m <sup>3</sup> /h (17.61 gpm)
Volume du canal	0.039/0.039 dm <sup>3</sup> (0.0014/0.0014 ft <sup>3</sup> )
Matières	Plaques en acier inoxydable 316, brasage cuivre
Poids sans les connexions	0.49+(0.075*NoP) kg 1.07+(0.165*NoP) lb

## Les dimensions standard







#	MM	IN
A	315	12.4
B	73	2.87
C	278	10.94
D	40	1.57
F	2.00+(2.24*(NoP-2.00))	0.08+(0.09*(NoP-0.08))
G	7	0.28
Q	2	0.08
R	16	0.63
E_1	12	0.47

## PED pression / température



# AXINTRA

ÉCHANGEURS THERMIQUES





F4	46679	SOLDER 22U, TH = 20,1	CD000399
F3	46679	SOLDER 22U, TH = 20,1	CD000399
F2	46679	SOLDER 22U, TH = 20,1	CD000399
F1	46679	SOLDER 22U, TH = 20,1	CD000399



Pos	Article No	Title / Denomination, code, material, dimension etc	Drawing No./ref	Pos	Article No	Title / Denomination, code, material, dimension etc	Drawing No./ref
-----	------------	---	-----------------	-----	------------	---	-----------------

Title				<b>E8THx16/1P-SC-S 4x22U</b>			
		Created Date	2024-07-25	Created By	AU		
		Article/Configuration number	0104379.0	Drawing number	AU00054311_0104379.0		

Rev No.	Alteration	Date	Checked	Approved
04	UPDATED IN TC	2011/04/01	THE	PDM



© Company Confidential, Property of SWEP International AB



SHARP EDGES DEBURRED MAX 0,4

ACCORDING TO MQS  
MATERIAL

Drawn	Checked	Approved	Created Date	General geometrical tolerancing ISO 2768	General surface finish $R_a$	Scale
JA	EMS	TOD	1999-01-13	m	3.2	-
			<b>SOLDER 22U</b>			
Article number		Drawing number		Revision	Sheet	
-		CD000399		04	1 (1)	